

Composition



CMRL 1066

P0058
Powder
mg/l

P0058
Powder
mg/l

Amino Acids

| | |
|---|-------|
| Glycine | 50 |
| L-Alanine | 25 |
| L-Arginine Free Base | 57,87 |
| L-Aspartic Acid | 30 |
| L-Cysteine Monohydrochloride Monohydrate | 260 |
| L-Cystine Dihydrochloride | 20 |
| L-Glutamic Acid | 75 |
| L-Glutamine | 100 |
| L-Histidine Monohydrochloride Monohydrate | 20 |
| L-Hydroxy-L-Proline | 10 |
| L-Isoleucine | 20 |
| L-Leucine | 60 |
| L-Lysine Monohydrochloride | 70 |
| L-Methionine | 15 |
| L-Phenylalanine | 25 |
| L-Proline | 40 |
| L-Serine | 25 |
| L-Threonine | 30 |
| L-Tryptophane | 10 |
| L-Tyrosine | 40 |
| L-Valine | 25 |

Inorganic salts

| | |
|--------------------------------------|-------|
| Calcium Chloride Anhydrous | 200 |
| Magnesium Sulfate Anhydrous | 97,69 |
| Potassium Chloride | 400 |
| Sodium Acetate Anhydrous | 50 |
| Sodium Chloride | 6800 |
| Sodium Phosphate Monobasic Anhydrous | 122 |

Vitamins

| | |
|---|--------|
| 2`Deoxyadenosine Monohydrate | 10,715 |
| 2`Deoxycytidine Monohydrochloride | 11,6 |
| 2`Deoxyguanosine Monohydrate | 10 |
| 5-Methyl-2`-Deoxycytidine Hydrochloride | 0,1 |
| Ascorbic Acid | 50 |
| B-NAD | 7 |
| B-NADP + Na | 1 |
| Choline Chloride | 0,5 |
| Coccarboxylase | 1 |
| D-Biotin | 0,01 |
| D-Ca Pantothenate | 0,01 |
| Flavin Adenine Dinucleotide Disodium Salt | 0,106 |
| Folic Acid | 0,01 |
| Myo-Inositol | 0,05 |
| Nicotinamide | 0,025 |
| Nicotinic Acid | 0,025 |
| P-Aminobenzoic Acid (PABA) | 0,05 |
| Pyridoxal Hydrochloride | 0,025 |
| Pyridoxine Hydrochloride | 0,025 |
| Riboflavin | 0,01 |
| Thiamine Hydrochloride | 0,01 |

O.C.*

| | |
|-----------------------------|-------|
| Cholesterol | 0,2 |
| Coenzyme A,Na | 2,5 |
| D-Glucose Anhydrous | 1000 |
| D-Glucuronic Acid + Na | 3,88 |
| L-Glutathione Reduced | 10 |
| Phenol Red Sodium Salt | 21,24 |
| Thymidine | 10 |
| Tween 80 | 5 |
| Uridine-5-Triphosphate + Na | 1 |

* Other Components